


CORRECTION

Open Access



Correction: Acylglycerol kinase promotes tumour growth and metastasis via activating the PI3K/AKT/GSK3 β signalling pathway in renal cell carcinoma

Qian Zhu^{1,2†}, Ai-Lin Zhong^{3†}, Hao Hu^{4†}, Jing-Jing Zhao^{1,2}, De-Sheng Weng^{1,2}, Yan Tang^{1,2}, Qiu-Zhong Pan^{1,2}, Zi-Qi Zhou^{1,2}, Meng-Jia Song^{1,2}, Jie-Ying Yang^{1,2}, Jun-Yi He^{1,2}, Yuan Liu^{1,2}, Min Li^{1,5}, Wan-Ming Hu^{1,5}, Chao-Pin Yang^{1,2}, Tong Xiang^{1,6}, Ming-Yuan Chen^{1,7}, Gang Ma^{1,8}, Ling Guo^{1,7*} and Jian-Chuan Xia^{1,2*} 

Correction: Journal of Hematology & Oncology (2020) 13:2
<https://doi.org/10.1186/s13045-019-0840-4>

The original article [1] contains an erroneous bottom-right panel of Fig. 6F. The corrected sub-figure can be viewed ahead in this Correction article.

[†]Qian Zhu, Ai-Lin Zhong and Hao Hu have contributed equally to this work.

The original article can be found online at <https://doi.org/10.1186/s13045-019-0840-4>.

*Correspondence:

Ling Guo
guoling@sysucc.org.cn
Jian-Chuan Xia
xiajianch@126.com

¹ State Key Laboratory of Oncology in Southern China, Collaborative Innovation Center for Cancer Medicine, Guangzhou, China

² Department of Biotherapy, Sun Yat-Sen University Cancer Center, Guangzhou 510060, People's Republic of China

³ Office of International Exchange and Cooperation, Guangzhou University of Chinese Medicine, Guangzhou 510006, People's Republic of China

⁴ Department of Thoracic Surgery, Jiangxi Cancer Hospital, Nanchang 330006, People's Republic of China

⁵ Department of Pathology, Sun Yat-Sen University Cancer Center, Guangzhou 510060, People's Republic of China

⁶ Department of Experimental Research, Sun Yat-Sen University Cancer Center, Guangzhou 510060, People's Republic of China

⁷ Department of Nasopharyngeal Carcinoma, Sun Yat-Sen University Cancer Center, Guangzhou 510060, People's Republic of China

⁸ Department of Intensive Care Unit, Sun Yat-Sen University Cancer Center, Guangzhou 510060, People's Republic of China



© The Author(s). 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 6 (See legend on next page.)

(See figure on previous page.)

Fig. 6 AGK stimulates the PI3K/AKT signalling pathway. **a** KEGG analysis was conducted to identify the pathways activated by AGK overexpression in RCC. **b** MTT assay, **c** colony formation assay and **d** flow cytometric analysis of the proliferation of the indicated RCC cells in the presence or absence of the PI3K inhibitor LY294002. Cell migration and invasion were measured by wound-healing (**e**) and Transwell assays (**f**) in the presence or absence of LY294002. **g** Western blotting analysis of the expression of p-AKT, p-PI3K, total AKT and total PI3K. GAPDH served as the loading control

Published online: 04 November 2023

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.