CORRECTION Open Access

Correction to: MiR-612 regulates invadopodia of hepatocellular carcinoma by HADHA-mediated lipid reprogramming



Yang Liu^{1,2†}, Li-Li Lu^{1†}, Duo Wen^{1,3†}, Dong-Li Liu^{1,4}, Li-Li Dong¹, Dong-Mei Gao¹, Xin-Yu Bian¹, Jian Zhou^{1,5}, Jia Fan^{1,5*} and Wei-Zhong Wu^{1*}

Correction to: Journal of Hematology & Oncology (2020) 13:12

https://doi.org/10.1186/s13045-019-0841-3

The original article [1] contains an error in Fig. 3c and Fig. 3g whereby the image of group WT and NC in HCCLM3 cell lines were repeated. The correct presentations of Fig. 3c and Fig. 3g can be seen ahead.

Author details

¹Liver Cancer Institute, Zhongshan Hospital, Key Laboratory of Carcinogenesis and Cancer Invasion, Ministry of Education, Fudan University, 180 Fenglin Road, Shanghai 200032, China. ²Department of Oral Maxillofacial-Head and Neck Oncology, Shanghai Ninth People's Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, China. ³Department of Head and Neck Surgery, Fudan University Shanghai Cancer Center, Shanghai 200032, China. ⁴Department of Radiation Oncology, Shanghai General Hospital, Shanghai Jiaotong University, Shanghai 200080, China. ⁵Department of Liver Surgery and Transplantation, Zhongshan Hospital, Fudan University, Shanghai 200032, China.

Published online: 04 May 2020

Reference

 Liu Y, et al. MiR-612 regulates invadopodia of hepatocellular carcinoma by HADHA-mediated lipid reprogramming. J Hematol Oncol. 2020;13:12 https://doi.org/10.1186/s13045-019-0841-3.

The original article can be found online at https://doi.org/10.1186/s13045-019-0841-3.


Full list of author information is available at the end of the article



© The Author(s). 2020 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

^{*} Correspondence: fan.jia@zs-hospital.sh.cn; wu.weizhong@zs-hospital.sh.cn [†]Yang Liu, Li-Li Lu and Duo Wen contributed equally to this work.

¹Liver Cancer Institute, Zhongshan Hospital, Key Laboratory of Carcinogenesis and Cancer Invasion, Ministry of Education, Fudan University, 180 Fenglin Road, Shanghai 200032, China



(See figure on previous page.)

Fig. 3 MiR-612 suppresses invasion and migration of HCC by targeting *hadha*. **a, b** Cell migration abilities and statistic results of HepG2^{miR-612-KD} and HCCLM3^{miR-612-QE} cells. Scale bars, 200 µm. **c, d** Cell invasion abilities and statistic results of HepG2^{miR-612-KD} and HCCLM3^{miR-612-QE} cells. Scale bars, 200 µm. **e, f** Cell migration abilities and statistic results of HepG2^{hadha-QE} and HCCLM3^{hadha-KD} cells. Scale bars, 200 µm. **g, h** Cell invasion abilities and statistic results of HepG2^{hadha-QE} and HCCLM3^{hadha-KD} cells and statistic results of HepG2^{miR-612-KD} cells after hadha was knocked down. Scale bars, 200 µm. **i, j** Cell migration abilities and statistic results of HCCLM3 miR-612-QE cells after HADHA was rescued. Scale bars, 50 μ m. **k, I** Cells (*p < 0.05; **p < 0.01). Data are mean \pm SEM of three independent experiments. Scale bars, 50 μ m